

Appendix 8

SCAQMD Permits



PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for the annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner
or Operator:

AZUSA ROCK INC
3200 SAN FERNANDO RD
LOS ANGELES, CA 90065-1415

ID 44919

Equipment Location: 3901 ENCANTO PKY, AZUSA, CA 91702

Equipment Description :

AGGREGATE CRUSHING AND CONVEYING SYSTEM CONSISTING OF:

1. VIBRATING GRIZZLY FEEDER, VGF-1, 60 H.P.
2. JAW CRUSHER, J1, NORDBERG, MODEL ST 1311, 250 H.P.
3. BELT CONVEYOR, UJ1, 4'-0" W. X 100'-0" L., 40 H.P.
4. BELT CONVEYOR, P3W, 3'-6" W. X 525'-0" L., 120 H.P., WITH AN UNDER PILE FEEDER, F4, 20 H.P.
5. BELT CONVEYOR, P2, 4'-0" W. X 750'-0" L., 300 H.P.
6. BELT CONVEYOR, NO. 10, 3'-6" W. X 240'-0" L., 30 H.P.
7. BELT CONVEYOR, NO. 12, 4'-0" W. X 30'-0" L., 20 H.P.
8. BELT CONVEYOR, BST1, 3'-0" W. X 102'-0" L., 40 H.P.
9. BELT CONVEYOR, P1, 4'-0" W. X 683'-0" L., 250 H.P.
10. BELT CONVEYOR, B11N, 4'-0" W. X 700'-0" L., 150 H.P., WITH TWO UNDER PILE FEEDERS, F1 AND F2, 5 KW EACH.
11. B.ELT CONVEYOR, B10N, 4'-0" W. X 1450'-0" L., 250 H.P.
12. BELT CONVEYOR, B8N, 4'-0" W. X 2860'-0" L., 300 H.P.
13. BELT CONVEYOR, B5N, 3'-6" W. X 2100'-0" L., 250 H.P.
14. BELT CONVEYOR, B4N, 3'-6" W. X 1250'-0" L., 200 H.P.
15. BELT CONVEYOR, B3N, 3'-6" W. X 480'-0" L., 125 H.P.
16. BELT CONVEYOR, B2N, 3'-6" W. X 1570'-0" L., 200 H.P.

ORIGINAL



PERMIT TO OPERATE

17. BELT CONVEYOR, B3S, 3'-6" W. X 1200'-0" L., 120 H.P.
18. BELT CONVEYOR, B3E, 3'-0" W. X 1750'-0" L., 150 H.P.
19. BELT CONVEYOR, B5E, 3'-6" W. X 100'-0" L., 75 H.P.

Conditions :

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THE JAW CRUSHER SHALL NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.
4. AGGREGATE CHARGED, AND AGGREGATE IN PROCESS SHALL BE KEPT SUFFICIENTLY MOIST TO PREVENT DUST EMISSIONS.
5. THIS SYSTEM SHALL NOT PROCESS MORE THAN 900,000 TONS OF MATERIAL IN ANY ONE MONTH.
6. THE AMOUNT OF DIESEL FUEL USED BY THE FRONT END LOADER SERVING THIS EQUIPMENT, OR SIMILAR TYPE NON-ROAD LOADING EQUIPMENT, SHALL NOT EXCEED 3,240 GALLONS IN ANY ONE CALENDAR MONTH.
7. THIS EQUIPMENT SHALL NOT BE OPERATED UNLESS A CATALYTIC OXIDIZER IS INSTALLED TO CONTROL TOXIC EMISSIONS IN THE EXHAUST GASES OF THE LOADER SERVING THIS EQUIPMENT.
8. RECORDS SHALL BE MAINTAINED TO DEMONSTRATE COMPLIANCE WITH CONDITION NO 5. THE RECORDS SHALL BE KEPT FOR AT LEAST TWO YEARS AND SHALL BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
9. THE EQUIPMENT SHALL OPERATE IN COMPLIANCE WITH PART 60, CHAPTER I, TITLE 40, CODE OF FEDERAL REGULATIONS, SUBPART 000, STANDARDS OF PERFORMANCE FOR NON-METALLIC MINERAL PROCESSING PLANTS.

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar, CA 91765

Page 3
Permit No.
F95204
A/N 476522

PERMIT TO OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey/SL02

2/7/2008

ORIGINAL



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

1-17-07
cc- Donnie
McDuffie

DATE: 01-04-07

EQUIPMENT LOCATED AT: 3901 ENCANTO PKY
AZUSA, CA 91702

LEGAL OWNER CO. ID: 44919
OR OPERATOR AZUSA ROCK INC
3200 SAN FERNANDO RD
LOS ANGELES, CA 90065- 1415

PERMIT/APPLICATION RENEWALS

PERMIT/ APPL NBR	EQUIPMENT DESCRIPTION	NEXT RENEWAL DATE
BILLING YEAR : 2006		
F41456	BAGHOUSE, AMBIENT TEMP (>500 SQ FT)	02-01-08
F46096	AGGREGATE PRODUCTION/CRUSHING	02-01-08
F46097	BAGHOUSE, AMBIENT TEMP (>500 SQ FT)	02-01-08
F46099	BAGHOUSE, AMBIENT TEMP (>500 SQ FT)	02-01-08



PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner
or Operator:

AZUSA ROCK INC
3200 SAN FERNANDO RD
LOS ANGELES, CA 90065

ID 044919

Equipment Location: 3901 ENCANTO PKY AZUSA CA 91702

Equipment Description:

AGGREGATE CRUSHING, SCREENING AND CONVEYING SYSTEM CONSISTING OF:

1. VIBRATING GRIZZLY FEEDER (VGF1), 4'-6" X 26'-0", 75 HP.
2. JAW CRUSHER (J1), NORDBERG, MODEL ST1311, 250 HP.
3. BELT CONVEYOR (UJ1), 4'-0" X 100'-0", 40 HP.
4. BELT CONVEYOR (P3W), 3'-6" X 525'-0", 120 HP.
5. VIBRATING GRIZZLY FEEDER (VFG2), 5'-0" X 26'-0", 75 HP.
6. JAW CRUSHER (J2), CEDARAPIDS, MODEL 5460, 350 HP.
7. BELT CONVEYOR (UJ2), 5'-0" X 50'-0", 40 HP.
8. BELT CONVEYOR (P2), 4'-0" X 750'-0", 300 HP.
9. SCREEN (S3), SECO, 8'-0" X 20'-0", 80 HP.
10. BELT CONVEYOR (10), 3'-6" X 240'-0", 75 HP.
11. CONE CRUSHER (11), SYMONS, 7'-0" DIA., 500 HP.
12. BELT CONVEYOR (12), 4'-0" X 30'-0", 20 HP.
13. BELT CONVEYOR (BST1), 3'-0" X 102'-0", 40 HP.
14. BELT CONVEYOR (P1), 4'-0" X 683'-0", 250 HP.
15. BELT CONVEYOR (B13), 3'-6" X 600'-0", 40 HP.
16. BELT CONVEYOR (B12), 3'-6" X 150'-0", 250 HP.
17. BELT CONVEYOR (B11N), 4'-0" X 700'-0", 150 HP.
18. BELT CONVEYOR (B10N), 4'-0" X 1450'-0", 250 HP.
19. BELT CONVEYOR (B8N), 4'-0" X 2860'-0", 300 HP.
20. BELT CONVEYOR (B7N), 3'-6" X 150'-0", 50 HP.
21. BELT CONVEYOR (B6N), 2'-6" X 90'-0", 25 HP.
22. BELT CONVEYOR (B5N), 3'-6" X 2100'-0", 250 HP.
23. BELT CONVEYOR (B4N), 3'-6" X 1250'-0", 200 HP.
24. BELT CONVEYOR (B3N), 3'-6" X 480'-0", 125 HP.
25. BELT CONVEYOR (B2N), 3'-6" X 1570'-0", 200 HP.
26. BELT CONVEYOR (B3S), 3'-6" X 1200'-0", 120 HP.
27. BELT CONVEYOR (B4S), 3'-6" X 120'-0", 75 HP.
28. BELT CONVEYOR (B3E), 3'-6" X 90'-0", 25 HP.
29. BELT CONVEYOR (B4E), 3'-6" X 200'-0", 120 HP.
30. BELT CONVEYOR (B5E), 3'-6" X 100'-0", 25 HP.
31. BELT CONVEYOR (30), 3'-0" X 375'-0", 25 HP.
32. WET SCREEN (31), 6'-0" X 20'-0", 30 HP.
33. BELT CONVEYOR (CONV#1), 2'-0" X 30'-0", 15 HP.

ORIGINAL



PERMIT TO OPERATE

CONTINUATION OF PERMIT TO OPERATE

34. BELT CONVEYOR (CONV#2), 3'-6" X 60'-0", 15 HP.
35. BELT CONVEYOR (CONV#3), 2'-6" X 120'-0", 50 HP.
36. BELT CONVEYOR (PB3), 3'-6" X 1700'-0", 250 HP.
37. BELT CONVEYOR (PB2), 3'-6" X 750'-0", 200 HP.
38. FEEDER (F1), 5KW.
39. FEEDER (F2), 5KW.
40. FEEDER (F3), SYNTRON, 15 HP.
41. FEEDER (F4), 20 HP.
42. FEEDER (F5), SYNTRON, 10 HP.
43. FEEDER (F6), SYNTRON, 5 KW.
44. HOPPER (10A), 100 TON CAPACITY.
45. BELT CONVEYOR (BST3), 3'-6" X 293'-0", 30 HP.
46. BELT CONVEYOR (32), 3'-0" X 160'-0", 25 HP.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. AGGREGATE CHARGED AND AGGREGATE IN PROCESS SHALL BE KEPT SUFFICIENTLY MOIST TO PREVENT EXCESSIVE DUST EMISSIONS.
4. NO MORE THAN TWO JAW CRUSHERS SHALL BE OPERATED AT ANY ONE TIME.
5. THE JAW CRUSHERS, CONE CRUSHER, AND MATERIAL DISCHARGE TRANSFER POINTS FROM THE CRUSHERS SHALL NOT BE OPERATED UNLESS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL OPERATION AND WHICH HAS BEEN ISSUED A PERMIT TO CONSTRUCT OR A PERMIT TO OPERATE.
6. NO MORE THAN 900,000 TONS OF MATERIAL SHALL BE PROCESSED IN ANY ONE MONTH.
7. A DAILY OPERATION LOG FOR THE FACILITY SHALL BE MAINTAINED AND SHALL INCLUDE THE DATE AND QUANTITY OF MATERIAL PROCESSED ON THAT DATE. ALL RECORDS SHALL BE KEPT FOR A MINIMUM OF TWO YEARS AND SHALL BE MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST.
8. THIS PERMIT UNIT IS SUBJECT TO THE REQUIREMENTS IN TITLE 40, CHAPTER 1, PART 60, SUPART 000 OF THE CODE OF FEDERAL REGULATIONS.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

page 3
Permit No.
F46096
A/N 362974

CONTINUATION OF PERMIT TO OPERATE

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey/PIRP
11/03/01

ORIGINAL



PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

C-STEVE BECHTE
8-31-01

Legal Owner
or Operator:

AZUSA ROCK INC
3200 SAN FERNANDO RD
LOS ANGELES, CA 90065

ID 044919

Equipment Location: 3901 ENCANTO PKY AZUSA CA 91702

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, DCE, MODEL DLMV 10/ 15, PULSE JET CLEANING, 40 POLYESTER ENVELOPE BAGS, EACH 1'-8" DIA. X 4'-11" LONG, TOTAL FILTER AREA OF 646 SQUARE FEET (DC-3).
2. EXHAUST SYSTEM WITH A 10 HP EXHAUST FAN, VENTING THE CONE CRUSHER, AND MATERIAL DISCHARGE TRANSFER POINTS FROM THE CONE CRUSHER

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. A MECHANICAL GAUGE SHALL BE INSTALLED SO AS TO INDICATE, IN INCHES OF WATER COLUMN, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE BAGS.
4. DUST COLLECTED IN THE BAGHOUSE SHALL BE DISCHARGED ONLY INTO CLOSED CONTAINERS.

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

page 2
Permit No.
F41456
A/N 362788

PERMIT TO OPERATE

CONTINUATION OF PERMIT TO OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

Dorris M. Bailey

By Dorris M. Bailey/RP03
07/07/01

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

page 1
Permit No.
F46099
A/N 362976

PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

12-7-01

RICHARD ROBERT

Legal Owner
or Operator:

AZUSA ROCK INC
3200 SAN FERNANDO RD
LOS ANGELES, CA 90065

ID 044919

Equipment Location: 3901 ENCANTO PKY AZUSA CA 91702

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, DCE, MODEL DLMV 60/15, PULSE JET CLEANING, 40 POLYESTER ENVELOPE BAGS, EACH 1'-8" DIA. X 4'-11" L., TOTAL FILTER AREA OF 646 SQUARE FEET (DC-1).
2. EXHAUST SYSTEM WITH A 10 HP EXHAUST FAN, VENTING A JAW CRUSHER (J1), AND MATERIAL DISCHARGE TRANSFER POINTS FROM THE JAW CRUSHER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. A MECHANICAL GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER COLUMN, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE BAGS.
4. DUST COLLECTED IN THE BAGHOUSE SHALL BE DISCHARGED ONLY INTO CLOSED CONTAINERS.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

PERMIT TO OPERATE

page 2
Permit No.
F46099
A/N 362976

CONTINUATION OF PERMIT TO OPERATE

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey/PIRP
11/03/01

ORIGINAL



PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

12-7-01
RICHARD ROBERT

Legal Owner
or Operator:

AZUSA ROCK INC
3200 SAN FERNANDO RD
LOS ANGELES, CA 90065

ID 044919

Equipment Location: 3901 ENCANTO PKY AZUSA CA 91702

Equipment Description:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, DCE, MODEL DLMV 60/15, PULSE JET CLEANING, 40 POLYESTER ENVELOPE BAGS, EACH 1'-8" DIA. X 4'-11" L., TOTAL FILTER AREA OF 646 SQUARE FEET (DC-2).
2. EXHAUST SYSTEM WITH A 10 HP EXHAUST FAN, VENTING A JAW CRUSHER (J2), AND MATERIAL DISCHARGE TRANSFER POINTS FROM THE JAW CRUSHER.

Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. A MECHANICAL GAUGE SHALL BE INSTALLED TO INDICATE, IN INCHES OF WATER COLUMN, THE STATIC PRESSURE DIFFERENTIAL ACROSS THE BAGS.
4. DUST COLLECTED IN THE BAGHOUSE SHALL BE DISCHARGED ONLY INTO CLOSED CONTAINERS.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

ORIGINAL



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 East Copley Drive, Diamond Bar, CA 91765

page 2
Permit No.
F46097
A/N 362977

PERMIT TO OPERATE

CONTINUATION OF PERMIT TO OPERATE

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey/PIRP
11/03/01

ORIGINAL